

Experience light.

#01



SLV MEDO SERIES



 SLV

always
up to date!

download the current pricelist at

KS-Light.co.uk/price_list_MEDO

or scan the qr-code below!



Find our terms and conditions for business customers [here](#)



KS and SLV: strong partners in lighting for more than 30 years

PICK-UP CENTER IN ESSEN

For more than 30 years KS Licht- und Elektrotechnik GmbH complements the products and services of SLV with a variety of services. We maintain a pick-up center for SLV products in the heart of the Ruhr area, where you can pick up the goods ordered from us at short notice.

EXPERIENCE SLV LUMINAIRES LIVE

We present a large selection of SLV luminaires on more than 300 m² of exhibition space. Here, our professionally trained consultants and lighting designers will advise you personally. At the same time, you can use our exhibition to present our luminaires to your customers in terms of function and effect. Convince yourself of the quality of our outdoor luminaires in the outdoor exhibition.

FREE LIGHTING DESIGN

We develop practical lighting solutions with you and according to your needs. Whether for business premises, salesrooms or private ambience: our lighting designers always have the right concepts for a demand-oriented and energetically sensible solution. We will be happy to calculate the payback time of your new, energy-saving LED lighting for you.

KS MULTI-BRAND LUMINAIRES ONLINE SHOP

In our business online shop at www.KS-Light.co.uk you will find everything that supports you in your daily work:

- Current special offers and new products
- Online check of product availability
- Find and order all spare parts easily
- Quick order form
- All catalogues for downloading or as a flip catalogue with Product links
- Specification texts, light distribution curves/LDT plug-ins and quick calculation tables


KS Licht- u. Elektrotechnik GmbH
Manderscheidstr. 8c
45141 Essen

Tel.: +49 (0)201-89924-0
Fax: +49 (0)201-89924-124

Onlineshop: www.KS-Light.co.uk
Internet: www.KS-Germany.com
Email: Verkauf@KS-Germany.com

Visit us on site or call us:

Monday-Thursday continuously from 08.00 hrs to 16.30 hrs
Friday continuously from 08.00 hrs to 15.00 hrs



Scan the link to our quick order form and get up-to-date information about the availability of goods!



www.KS-Light.co.uk/quick-order-form





BRING GOOD TASTE TO LIGHT.

The MEDO series from SLV.

This high-quality lamp series leaves virtually nothing to be desired: Be it ceiling, pendant, recessed or wall installation, with a circular or square design, at home or in a project, the MEDO series always looks good. Dimmable and controllable with DALI, with a choice of light colours and with corona effect if required - discover how versatile a classic can be.



MEDO 90 CORONA
CL, DALI
Item no.: 1001890



MEDO 60
CL, 1-10V
Item no.: 135120

MEDO – MAKING LIGHTING EXCITING.

Room design needs lighting to bring it to life. And lighting design needs room to truly shine. The MEDO series by SLV is the elegant way to achieve both. Thanks to its virtually unparalleled range of colour and size options, MEDO is universal. And uniquely customisable for each room.

You have the room, we have the lamp.

Our MEDO series hasn't been one of the most popular SLV products for more than five years for no reason. Not only is it characterised by its high processing quality, but also by the number of available models. The special diversity of this series is a real plus for plannable flexibility at the highest level.

The stylish all-rounder.

Be it as a pendant or a recessed-mounted variant – many options are available to electricians and planners with the models in the MEDO series. They integrate perfectly in a stylish environment in which you wish to set lasting emphasis: Create inviting atmospheres in hotels, create elegant sales premises, provide a comfortable working climate in offices and, last but not least, turn a house into a home.




MEDO RING 60
PD, DALI
Item no.: 1002891

MEDO – EFFICIENT LIGHTING STARTS WITH GOOD PLANNING.

The effective use of light hinges on the right planning. During the design phase, it is all too easy to underestimate the possibilities and effects. What role do technologies and innovations play in the process? SLV lighting expert Lars Heidrich explains.



Lars Heidrich
Team Leader, Lighting Design
Germany



What is the ideal time to start light planning?

As early as possible. And specialists and planners should be also be involved at the earliest possible stage. Good light planning is always a good combination of basic and accent lighting; the times when a central ceiling outlet in a room was sufficient are a thing of the past. And unless a specialist is dealing with this topic, that is usually exactly what happens: the existing connections are either in the wrong locations or not there at all for achieving the desired result. However, the majority of our partners are experienced planners, and collaborate with us even before the construction phase.

Which challenges do you particularly look forward to as a light planner?

For us, light is not just an end in itself, but also creates emotions and structures in rooms. It's always exciting to see how we can influence that. And how we can impress customers with good light planning.

What potential do you see in good light planning in the retail sector, for example?

Good light planning always provides considerable added value, particularly in the retail sector. Just imagine a supermarket or a shop: It used to be sufficient to install long light strips with fluorescent tubes in order to create a homogeneous lighting effect. However, a tremendous change has now taken place. Nowadays, shopping now has to be an experience: Goods have to be put in the right setting, and products require presentation. Streams of visitors have to be directed. Furthermore, the use of the correct light colour is extremely important as far as food is concerned, for example, so that the goods are displayed to their best effect. This is only possible with good light planning.




Why is the MEDO series so popular with planners?

The MEDO series is popular with us planners because it has a simple, geometric basic design. It is round, and can therefore be used almost anywhere. The MEDO lights have different colours and make it possible to cater for different user requirements. Different lumen packages are available, from 1000 lm – 11,000 lm, pendants, surface-mounted lights and recess-mounted lights with different diameters. This means that we can cover all aspects of a project.

Which application areas is the MEDO series particularly suitable for?

The MEDO series can be used in a very flexible way: In kindergartens, hotels, in the retail sector with a 90 cm diameter and DALI control, for example, and last but not least, in private households with TRIAC dimming. Thanks to its design diversity, any application is possible.



Efficiency is plannable.

Be it a property developer, electrician or architect - making efficient use of the correct lighting pays off for everyone in the end. Of course, this also applies to the topics of sustainability and energy. This is where the MEDO series scores points with its modern LED technology, which makes no compromises with regard to the lighting effect at any energy efficiency level. Less really is more in this case. With its almost unbeatable price-performance ratio, it also shows that high quality technology and impressive design can be combined in an outstanding way.



The new SLV visitor centre.

Discover the new worlds of light, models and innovations: You can experience both virtual reality and the highlights of our portfolio in the interactive showroom.




Planning which makes an impact.

Our team of experts will be happy to assist you with your lighting planning. We look forward to hearing from you:

ks-light.co.uk



**DON'T JUST ILLUMINATE
ROOMS. DESIGN THEM.**





MEDO Frame
CL, TRIAC
Item no.: 1001903



MEDO – MADE TO BE MULTIFACETED.

The MEDO Series is optimal for lighting rooms evenly. By combining various models and installation options, designers can use even the general lighting to create a fascinating ambience that is ideally suited to the space.




MEDO Corona 60 CL
CL, TRIAC
Item no.: 1001899



More freedom to make decisions.

Anyone who wishes to change the colour of light on site will enjoy a new feature of the MEDO series: the light colour of the MEDO Corona can be switched between 3000 K and 4000 K: with just a click, the light colour switches from warm white to neutral light – and back again, of course.

MEDO 40
CL, TRIAC
Item no.: 135071



The right light pays off – always.

Particularly in the shopping & retail sector, basic lighting plays an important part: this is because purchasing behaviour and durations of stay have been proven to be influenced in a positive way by light colour and intensity. The correct illumination should be taken into consideration at the planning stage.

The goods are in the perfect setting, details such as colours and patterns appear in the best possible way and a friendly, inviting room atmosphere is created. The flexibly deployable MEDO series is therefore an important constituent of a balanced light concept, particularly for planners.



MEDO RING 90
PD,1-10V
Item no.: 133851

MEDO – ALL-ROUNDER AND DESIGNER HIGHLIGHT.

Does form follow function or is it the other way round? With the models in the MEDO Series, it's all in the eye of the beholder.



A real ray of light, also in combinations.

Professional lighting concepts are an elementary constituent of the effect of the room, and just like a stylish interior, the lights in the MEDO series make a significant contribution to the atmosphere. They express the style of the planner and/or the owner in a skilful way with high design quality and innovative functions. Thanks to its minimalist design, a MEDO light does not only provide lightness in the room, but also sets powerful accents in combination.



MEDO 60 CORONA
CW, TRIAC
Item no.: 1001888



Easy install.

The installation of the new Corona models – thought out in every detail: Once the base plate has been screwed to the ceiling, the body is easily attached to the socket with three clips and can be removed in the same way, of course. Easy.

MEDO – FLEXIBILITY FOR THE MOST DISCERNING CUSTOMERS.

From room design to planning an entire building, you're fully flexible with the MEDO Series. Multiple dimming options, DALI controlled, with the corona effect – the choice is yours.

The Corona Effect.

The new Corona models in the MEDO series even bring out the best of the background. Thanks to indirect lighting with low intensity, an attractive glow is created on the wall or ceiling.




MEDO 60 CORONA
CW, TRIAC+
Item no.: 1001886



MEDO 40 CORONA
CW, TRIAC+
Item no.: 1001883

MEDO 30 CORONA
CW, TRIAC
Item no.: 1001882

MEDO 60
CW, TRIAC
Item no.:135120




Now for DALI!


For planners, electricians, property developers and users, DALI (Digital Addressable Lighting Interface) means safety – because the testing procedure is standardised and the operating devices are exchangeable and always compatible. The MEDO series also uses this system, and is therefore intuitive to operate.

For bigger construction projects.

The DALI technology can be used in a particularly effective way in major construction projects, and makes intelligent lighting management possible. For example, the lighting can quickly be adapted to the respective requirements in offices, hotels or gastronomy areas thanks to having light scenes which can be saved. If a room or just a specific area of a room is used, the lighting activates automatically and within preset parameters thanks to highly sensitive sensors and presence detectors.




DALI-capable Dimmer



SLV driver for DALI Gateways.



DALI - KNX - BUS CABLE



DALI Bus technology – with the MEDO series.

Up to 64 operating devices can be actuated with a DALI system or embedded in modern building automation as a subsystem via DALI Gateways. The driver of the MEDO lights uses the compatible standard DALI data protocol when doing this.





**SO MANY WAYS TO CREATE
ONE-OF-A-KIND LIGHTING.**



MEDO CL



Impresses with its clear design and the elegant interaction of the aluminium and glass materials that are used. Thanks to having an integrated premium LED, it generates a bright, homogeneous light. By using the suspension kit, the ceiling light can be converted into a pendant, and is therefore also ideal for rooms with high ceilings. The built-in LED driver makes direct connection to a 120V to 240V mains supply possible.



Recommended accessories:
With the MEDO suspension kit, you can easily convert the MEDO into a pendant. Choose from up to four colours and lengths of 1.5 m and 5 m.



| | MEDO 30 CL | MEDO 40 CL | MEDO 60 CL | MEDO 90 CL |
|--------------------------|---------------|---------------|------------|------------|
| Lumen (in lm) | 1000 1200 | 2000 2125 | 3,500 | 11,000 |
| Wattage | 15 16 | 29 31 | 40 | 119 |
| Light temperature (in K) | 3,000 | 3,000 | 3,000 | 3,000 |
| Colour temperature (K) | 25 | 25 | 22 | 25 |
| Dimmability | 1-10V TRIAC | 1-10V TRIAC | 1-10V | 1-10V |
| H / Ø (cm) | 11 / 28 | 12 / 38 | 13 / 60 | 12.5 / 90 |

More information about the MEDO series products can be found at: ks-light.co.uk



Ideal for large, homogeneous basic lighting with its classic design

- Conference rooms
- Corridor lighting
- Pharmacies
- Opticians
- Shop & Retail
- Fitness Studios
- Trade fair stands
- Training rooms





MEDO CORONA CW/CL



A - A++ Range A+++ - E **LED INSIDE** DALI



The high quality MEDO Corona. Thanks to its homogeneous, indirect upwards light emission, it generates a decorative Corona effect. A practical switch provides flexibility, and it is easy to switch between 3000K and 4000K with the MEDO Corona variant.

The MEDO Corona also excels during installation: The base plate is screwed to the ceiling, then the body is simply attached to the socket using three clips and can be removed in the same way, of course. The ceiling light can be converted into a pendant using a suspension kit, and is therefore also ideal for rooms with high ceilings. The pre-installed driver allows it to be connected directly to a 120V-240V mains supply.



Recommended accessories:

Converting the MEDO into a pendant is child's play with the MEDO suspension kit. Choose from up to four colours and lengths of 1.5 m and 5 m.



| | MEDO 30 Corona CW | MEDO 40 Corona CW | MEDO 60 Corona CW | MEDO 90 Corona CW |
|--------------------------|-----------------------------|-----------------------------|------------------------------|-------------------------------|
| Lumen (in lm) | Down: 1230 / 1280 Up: 20 | Down: 2750 / 2900 Up: 50 | Down: 4350 / 4750 Up: 120 | Down: 9500 / 10100 Up: 125 |
| Wattage | 15 | 30 | 40 | 78 |
| Light temperature (in K) | 3000 / 4000 | 3000 / 4000 | 3000 / 4000 | 3000 / 4000 |
| Colour temperature (K) | 25 | 25 | 25 | 25 |
| Dimmability | TRIAC DALI | TRIAC DALI | TRIAC DALI | TRIAC DALI |
| H / Ø (cm) | 9.5 / 28 | 9.5 / 38 | 9.5 / 60 | 9.5 / 90 |

More information about the MEDO series products can be found at: ks-light.co.uk



With an indirect light component and the classic design, it is ideal for decorative, homogeneous basic lighting with effect.

- Hotel foyers
- Reception areas
- Restaurants
- Bars
- Hotels
- Exhibition rooms



MEDO RING PD



The modern MEDO RING impresses with its appealing design and dimmable efficient and powerful LED modules. The aluminium frame is fitted with an acrylic glass cover which provides homogeneous illumination. Its 1.5 metre pendant length also makes it suitable for rooms with high ceilings. The pre-installed driver allows it to be connected directly to the 120V-240V mains supply.



MEDO 60 Ring PD

MEDO 90 Ring PD

| | | |
|--------------------------|--------------|-----------|
| Lumen (in lm) | 2000/2095 | 3945/4185 |
| Wattage | 35W 34W | 58W |
| Light temperature (in K) | 3,000 | 3,000 |
| Colour temperature (K) | 22 | 22 |
| Dimmability | 1-10V DALI | 1-10V |
| H/Ø (cm) | 150 / 60 | 150 / 90 |

More information about the MEDO series products can be found at: ks-light.co.uk



Ideal for decorative basic lighting with its timeless design.

- Hotel foyers
- Reception areas
- Conference rooms
- Opticians
- Restaurants
- Bars
- Hotels
- Exhibition rooms





MEDO CL SQUARE



A - A++ Range A+++ - E
LED INSIDE DALI



The MEDO 60 CL Square has a clear edge, and adds a square version to the MEDO series. Thanks to having an integrated premium LED, it generates a bright, homogeneous light. The ceiling light can be converted into a pendant using a suspension kit, and is therefore also ideal for rooms with high ceilings. The built-in LED driver allows direct connection to a mains supply of 120V-240V.



Recommended accessories:


The MEDO can be easily converted into a pendant using the MEDO suspension kit. Choose from up to four colours and lengths of 1.5 m and 5 m.



MEDO 60 CL Square

| | |
|--------------------------|----------------|
| Lumen (in lm) | 3,300 |
| Wattage | 39 |
| Light temperature (in K) | 3,000 |
| Colour temperature (K) | 22 |
| Dimmability | 1-10V DALI |
| L / W / H (cm) | 60 / 60 / 12.5 |

More information about the MEDO series products can be found at: ks-light.co.uk



Ideal for large, homogeneous basic lighting with its linear design.

- Conference rooms
- Corridor lighting
- Pharmacies
- Opticians
- Shop & Retail
- Fitness studios
- Trade fair stands
- Training rooms





MEDO RL, FRAMELESS

A - A++ Range A+++ - E
LED DALI
INSIDE




The recessed version of the MEDO series fits into every room concept seamlessly thanks to its understated design. The MEDO RL FRAMELESS combines with walls and ceilings in a charming way. The light colour can be easily switched between 3000K and 4000K prior to installation using a switch. The integrated premium LED module provides an even lighting effect. Supplemented by an additional driver, the TRIAC recessed variant becomes dimmable and can be integrated in DALI systems.



| | MEDO 30 RL, Frameless | MEDO 40 RL, Frameless | MEDO 60 RL, Frameless | MEDO 90 RL, Frameless |
|--------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Lumen (in lm) | 1500 / 1600 | 3100 / 3300 | 4700 / 5000 | 9550 / 10150 |
| Wattage | 14 | 18 | 28 | 36 |
| Light temperature (in K) | 3000 / 4000 | 3000 / 4000 | 3000 / 4000 | 3000 / 4000 |
| Colour temperature (K) | 25 | 25 | 25 | 22 |
| Dimmability | TRIAC DALI | TRIAC DALI | TRIAC DALI | TRIAC DALI |
| H / Ø (cm) | 9.5 / 13 / 28 | 9.5 / 13 / 38 | 12.5 / 16 / 60 | 12.5 / 21 / 90 |

More information about the MEDO series products can be found at: ks-light.co.uk



Ideal for homogeneous basic lighting with its understated design.

- Conference rooms
- Corridor lighting
- Dining rooms
- Fitness studios
- Exhibition rooms
- Waiting rooms in doctors' surgeries
- Pharmacies
- Opticians





MEDO RL, FRAME

A - A++ Range A+++ - E
LED INSIDE DALI



The MEDO RL FRAME variants round off the MEDO series recessed lights. The MEDO RL FRAME lights fit perfectly into every room just like the frameless versions. Understated yet still powerful, they provide bright illumination. Supplemented by an additional driver, the TRIAC recessed variant becomes dimmable and can be integrated in DALI systems.



| | MEDO 30 RL, Frame | MEDO 40 RL, Frame | MEDO 60 RL, Frame | MEDO 90 RL, Frame |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Lumen (in lm) | 1500 / 1600 | 3100 / 3300 | 4700 / 5000 | 9550 / 10150 |
| Wattage | 14W | 18W | 28W | 36W |
| Light temperature (in K) | 3000 / 4000 | 3000 / 4000 | 3000 / 4000 | 3000 / 4000 |
| Colour temperature (K) | 25 | 25 | 25 | 22 |
| Dimmability | TRIAC DALI | TRIAC DALI | TRIAC DALI | TRIAC DALI |
| H / Ø (cm) | 9.5 / 13 / 28 | 9.5 / 13 / 38 | 12.5 / 16 / 60 | 12.5 / 21 / 90 |

More information about the MEDO series products can be found at: ks-light.co.uk



Ideal for homogeneous basic lighting with its understated design.

- Conference rooms
- Corridor lighting
- Dining rooms
- Fitness studios
- Exhibition rooms
- Waiting rooms in doctors' surgeries
- Pharmacies
- Opticians





MEDO SERIE

| MEDO CL | MEDO 30 CL | | MEDO 40 CL | | MEDO 60 CL | | MEDO 90 CL | |
|-------------------|-------------------|---------|-------------------|---------|-------------------|---------|-------------------|---------|
| | | | | | | | | |
| 1-10V | | 1000855 | | 1000864 | 135126 | 135120 | 135176 | 135170 |
| TRIAC | 135026 | 135020 | 135076 | 135070 | | | | |
| | | | | | | | | |
| 1-10V | 1000856 | 1000857 | 1000865 | 1000866 | 135121 | 135124 | 135171 | 135174 |
| TRIAC | 135021 | 135024 | 135071 | 135074 | | | | |
| MEDO CORONA CW/CL | MEDO CORONA 30 CW | | MEDO CORONA 40 CW | | MEDO CORONA 60 CW | | MEDO CORONA 90 CL | |
| | | | | | | | | |
| TRIAC | | 1001877 | | 1001883 | | 1001886 | | 1001878 |
| DALI | | 1001889 | | 1001895 | | 1001898 | | 1001890 |
| | | | | | | | | |
| TRIAC | 1001881 | 1001882 | 1001884 | 1001885 | 1001887 | 1001888 | 1001879 | 1001880 |
| DALI | 1001893 | 1001894 | 1001896 | 1001897 | 1001900 | 1001899 | 1001891 | 1001892 |
| MEDO RING PD | MEDO RING 60 PD | | MEDO RING 90 PD | | | | | |
| | | | | | | | | |
| 1-10V | 133841 | 133840 | 133851 | 133850 | | | | |
| DALI | 1002891 | 1002890 | | | | | | |
| MEDO CL SQUARE | 60 | 60 | 60 | | | | | |
| | | | | | | | | |
| 1-10V | 1000725 | 1000726 | 1000727 | | | | | |
| DALI | | 1002882 | | | | | | |
| MEDO RL FRAMELESS | MEDO RL FRAME | | 30 | 40 | 60 | 90 | | |
| | | | | | | | | |
| FRAMELESS | | 1001901 | 1001902 | 1001903 | 1001904 | | | |
| FRAME | | 1001905 | 1001906 | 1001907 | 1001908 | | | |

Suspension kit



| | | | |
|--------------|---------|---------|---------|
| 1,5 m | 135250 | 135251 | 135254 |
| 5,0 m | 1001952 | 1001950 | 1001951 |



**LED driver
(for MEDO RL)**

20W

**20W
DALI**

**20W
TRIAC**



| | | | |
|------------------------------|---------|---------|---------|
| 350mA incl. strain relief | 1002420 | 1002423 | 1002232 |
|------------------------------|---------|---------|---------|

More information about the MEDO series products can be found at: ks-light.co.uk

As a designer, you know that light is so much more than simple brightness; in fact, it stimulates the senses. That's why we are delighted to give you the superior quality and design flexibility you need to turn your creative concepts into reality – with our MEDO Series. We wish you continued success in bringing light to life.



KS Licht- u. Elektrotechnik GmbH
Manderscheidtstr. 8c
D-45141 Essen

Tel.: +49 (0)201-89924-0
Fax: +49 (0)201-89924-124

Internet: www.KS-Germany.com
Email: Verkauf@KS-Germany.com